


Speech Sound Disorder Tree




	Definition	Description	Examples	Treatment
Articulation Disorder	An inability to produce a perceptually acceptable version of particular phonemes, either in isolation or in any phonetic context.	Single speech sound distortions, errors, or omissions	/r/, /s/, /l/	<ol style="list-style-type: none"> 1. "Traditional Artic"/motor-based approaches 2. Van Riper approach 3. McDonald's sensory-motor approach 4. Multiple-phoneme approach
Articulation Disorder due to Structural Anomaly	Low intelligibility that is the result of or compromised by atypical physical development	Unintelligibility caused by a structural aberration.	Cleft Lip and Palate VPI Crouzon's Syndrome Hearing Impairment	<ol style="list-style-type: none"> 1. Increase Vowel Repertoire 2. Increase Consonant Inventories 3. Increase Sounds in Context by building Vocabulary 4. Increase Oral Airflow 5. Decrease use of Nasal and Glottal Sounds
Delayed Phonological Acquisition	A phonological system similar to younger, normally developing children. Most phonemes can be articulated; however, there is a discrepancy between the processes observed and the child's age.	Developmental processes (errors) that you would expect to hear from a young child are still present at a later age.	Cluster Reduction Stopping Liquid simplification Fronting Weak Syllable Deletion Final Consonant Del.	<p>Pattern-based approaches</p> <ol style="list-style-type: none"> 1. Phonologically based intervention e.g., Cycles 2. Distinctive Feature approach
Consistent Deviant Phonological Disorder	Systemic use of deviant phonological rules (i.e., error patterns that are atypical of normal phonological development).	Errors that you would not expect from a child of any age are present and consistent.	Initial Consonant Del. Backing Denasalization Palatalization Metathesis	<p>Phonologically Based Intervention</p> <p>Phonological Awareness</p>
Inconsistent Deviant Phonological Disorder	Variable productions of the same words or phonological features in the same contexts and across contexts.	Longer, unintelligible statements that vary with each new attempt. There is no or very little consistent pattern.	Child's utterances are typically many words long Say "butterfly" "Chutterdy" Again, say "butterfly" "sunnery"	<ol style="list-style-type: none"> 1. Achieving consistency is paramount. Establish consistent productions at any level and build their consistency up to the word level. 2. Example of therapy approach: Core vocabulary (that focuses on <i>consistency</i> of whole-word production)


Great Resources for Evaluations!



Success with Speech Sound Disorders




Difference or Disorder?



Developmental Speech and Language Norms for Spanish and English E-book



Working with Interpreters



Difference or Disorder? Speech



Difference or Disorder? Language

SLPImpact COMMUNITY


Get access to:

- Over 100 ASHA CEU Courses
- 2 Annual Conferences
- Monthly CEU Masterclasses
- SLP How-To Video Library
- Eval and Therapy Materials
- Support for difficult evaluation and therapy questions

FIND OUT MORE




Great resources to therapy!



Curriculum-based Speech Therapy Activities: Pre-K / Kindergarten



Life Skills Speech and Language Enrichment Activities



Literacy-based Intervention



Language Intervention Strategies



Success with Speech Sound Disorders



Literacy-based Intervention

SLP Impact COMMUNITY

Get access to:

- Over 100 ASHA CEU Courses
- 2 Annual Conferences
- Monthly CEU Masterclasses
- SLP How-To Video Library
- Eval and Therapy Materials
- Support for difficult evaluation and therapy questions

FIND OUT MORE

